L Number	Hits	Search Text	DB	Time stamp
-	71133	boot\$up boot\$4	USPAT; US-PGPUB; EPO; JPO;	2003/08/27
_	3507	boot\$up boot\$4 and mother\$board	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/27
-	2354	boot\$up boot\$4 and mother\$board and (daughter\$board)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/27
-	2354	boot\$up boot\$4 and mother\$board and (daughter\$board sister\$board)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/27 13:13
-	2354	boot\$up boot\$4 and mother\$board and (daughter\$board brother\$board)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/27 13:13
-	2324	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/27 13:15
-	2322	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/27 13:15
<b>-</b>	2319	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:16
	2319	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program) and (coupler (coupling near2 device))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27
-	2319	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program) and (coupler (coupling near2 device)) and coupl\$4 with daughter\$board with mother\$board	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:17
_	2319	boot\$up boot\$4 and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program) and (coupler (coupling near2 device)) and coupl\$4 with daughter\$board with mother\$board and kiir	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:17
-	0	(boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program) and (coupler (coupling near2 device)) and coupl\$4 with daughter\$board	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:19
_	0	with mother\$board and kiiir (boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4 with device and daughter\$board with boot\$4 with (code instruction program) and (coupler (coupling near2 device)) and coupl\$4 with daughter\$board with mother\$board	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:18

-	52	(boot\$up boot\$4) and mother\$board and daughter\$board	USPAT; US-PGPUB; EPO; JPO;	2003/08/27 13:18
	0	(boot\$up boot\$4) and mother\$board and	IBM_TDB USPAT;	2003/08/27
		daughter\$board and mother\$board with stor\$4 and daughter\$board with boot\$4	US-PGPUB; EPO; JPO;	13:19
-	1	with (code instruction program) (boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with	IBM_TDB USPAT; US-PGPUB;	2003/08/27 13:31
		stor\$4 and daughter\$board with (code instruction program) and (coupler coupling)	EPO; JPO; IBM_TDB	
-	2	(boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4 and daughter\$board with (code	USPAT; US-PGPUB; EPO; JPO;	2003/08/27 13:31
-	2	instruction program) (boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with	IBM_TDB USPAT; US-PGPUB;	2003/08/27 13:31
		stor\$4 and daughter\$board with (code instruction program) and (coupler coupl\$4)	EPO; JPO; IBM_TDB	
-	14	(boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/01/09 13:52
-	0	(boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4 and emulator	USPĀT; US-PGPUB; EPO; JPO;	2004/01/09 13:52
-	9	(boot\$up boot\$4) and mother\$board and daughter\$board and mother\$board with stor\$4 and emulat\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/01/09 13:55
-	77	(boot\$up boot\$4) and mother\$board and mother\$board with stor\$4 and emulat\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/01/09 13:55
-	68	(boot\$up boot\$4) and mother\$board and mother\$board with stor\$4 and emulat\$4 and port	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/01/09 13:56
-	6	(boot\$up boot\$4) and mother\$board and mother\$board with stor\$4 and emulat\$4 and port and port with emulat\$4	USPĀT; US-PGPUB; EPO; JPO;	2004/01/09 13:59
-	20	(boot\$up boot\$4) and mother\$board and emulat\$4 and port and port with emulat\$4 and receiv\$4 with emulat\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 14:00
-	. 17	(boot\$up boot\$4) and mother\$board and emulat\$4 and port and port with emulat\$4 and receiv\$4 with emulat\$4 and emulator	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 14:00·
-	17	(boot\$up boot\$4) and mother\$board and emulat\$4 and port and port with emulat\$4	IBM_TDB USPAT; US-PGPUB;	2004/01/09 14:24
-	19	and receiv\$4 with emulat\$4 and emulat\$4 with device (boot\$up boot\$4) and mother\$board and emulat\$4 and port with emulat\$4	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/01/09 14:35
		and (send\$4 transmit\$4 receiv\$4) with emulat\$4 and emulat\$4 with device	EPO; JPO; IBM_TDB	
_	1	(boot\$up boot\$4) and mother\$board and emulat\$4 and port and port with emulat\$4 and (send\$4 transmit\$4 receiv\$4) with	USPAT; US-PGPUB; EPO; JPO;	2004/01/09
		emulat\$4 and emulat\$4 with device and development with port	IBM_TDB	

-	19	(boot\$up boot\$4) and mother\$board and	USPAT;	2004/01/09
		emulat\$4 and port and port with emulat\$4	US-PGPUB;	14:36
	1	and (send\$4 transmit\$4 receiv\$4) with	EPO; JPO;	
1		emulat\$4 and emulat\$4 with device and	IBM TDB	
		emulat\$4 with (connect\$4 coupl\$4)	_	